



**I-Server 3.2 System Requirements
for I-Server Daylight Integration
Revision 4.0**

I-SERVER 3.2 SYSTEM REQUIREMENTS

Properties or Maximum Number of Guestrooms per Server	Category	Server Hardware Requirements
1-10 properties or up to 2,500 guestroom	No additional hardware needed. I-Server Web Server can be loaded on the Daylight server. See Daylight System requirements for additional information.	
11-30 properties or 7,500 guestroom	Processor: Memory: Disk Subsystem:	Dual 2GHz 2GB Two 36GB SCSI disks for Operating System, NT Paging File, MS SQL Server, I-Server Web Server Applications (RAID1) Five 36GB SCSI disks for Data and Index file groups and Database Backups, SQL Server TempDB and Message Queuing Storage (RAID5) Note: This array is only required if the I-Server database resides on this server RAID Controller
31+ properties or 7,500+ guestroom	Custom specification provided. Please contact your sales representative for additional information	

ADDITIONAL DATABASE SERVER REQUIREMENTS

Category	Server Requirements
Operating System:	Windows Server 2003 and 20081
Network Protocol:	TCP/IP
NIC Speed:	100Mb (1000Mb Recommended)
SQL Server:	SQL Server 2005 or 2008 Standard or Enterprise ¹
Hard Drive Specifications:	When referenced above, the number of hard drives indicates the number of spindles, not a single hard drive that is partitioned
Server Components:	Microsoft IIS 6 or 7 (Internet Information Server) ²
Internet Explorer:	7.0 or higher
Miscellaneous:	.NET Framework 3.5, Antivirus, Backup System and UPS Recommended
Remote Access:	Please see Newmarket International's Remote Access Statement
Regional Settings/Foreign OS:	US-English

DELPHI MPE/SPE VERSIONS SUPPORTED

Category	Delphi MPE/SPE Versions Supported
Delphi Versions:	7.0

CONNECTOR REQUIREMENTS (continued)

Connector	Category	Connector Requirements
Connex for D & B	Network Access: .NET Framework	HTTP and HTTPS (port 80 and 443) between Newmarket Data Center and I-Server Web Server .NET 2.0 on Server
MeetingBroker Integration 1.2	Network Access: .NET Framework	HTTPS (port 443) from client to https://*.meetingbroker.com HTTPS (port 443) from I-Server Web server to https://*.meetingbroker.com HTTP (port 80) from I-Server Web server to the Internet HTTP (port 80) from Delphi client to I-Server Web server SQL (port 1433) from I-Server Web server to I-Server Web server database (if installed on a dedicated database server) NET 2.0 on server

Notes to Customers on System Requirements

- System Requirements are minimum guidelines. Actual requirements will vary based on your system configuration, installed applications and usage.
- If system requirements are not met, the customer assumes responsibility of performance and compatibility issues as a result thereof.
- As the customer grows their business and data over time, it is possible that system upgrades would need to occur (for example, memory and disk subsystem).
- Customer assumes responsibility for ongoing maintenance, virus protection, data backup and security of their system.

Endnotes

¹32-bit and x64 supported. See Microsoft’s system requirements for specific information and limitations of their products.

²When running on Windows Server x64 Editions, IIS will be set to run in 32-bit emulation mode.

